IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Gregory H. Altman et al.

Confirmation No.:

6963

Application No.:

10/800,134

Group No.:

1657

Filed:

December 15, 2003

Examiner:

David M. Naff

For:

IMMUNONEUTRAL SILK-FIBER-BASED MEDICAL DEVICES

DECLARATION OF DAVID KAPLAN, PH.D. UNDER 37 C.F.R. 1.132

- I, David Kaplan, Ph.D., pursuant to 37 C.F.R. § 1.132, hereby declare that:
- I am currently employed as a Professor and Chair of the Department of Biomedical
 Engineering at Tufts University. I am also a Professor in the Department of Chemical &
 Biological Engineering; Director of the Bioengineering & Biotechnology Center; and
 Director of the Tissue Engineering Resource Center, all at Tufts University.
- I have authored or co-authored over 350 peer-reviewed publications. Many of the
 publications involve tissue engineering, silk, and silk-based medical devices. I have over
 thirty years experience in the field of Natural Biomaterials.
- 3. A copy of my Curriculum Vitæ is attached.
- 4. I have reviewed the Final Office Action issued May 2, 2007 by the United States Patent and Trademark Office ("PTO") on Invention and the cited U.S. Patent Nos. 6,303,136 (Li); 7,014,807 (O'Brien); 5,994,099 (Lewis); and 5,736,399 (Takezawa).
- 5. The Office Action contains the following statement:
 - "It would have been obvious to use as the filamentous matrix of Li et al. a yarn produced from fibrion fibers from which sericin had been removed as

disclosed by O'Brien in view of Lewis et al. suggesting preparing a matrix for tissue reconstruction from silk and Takezawa et al. using a silk mesh as a culture carrier. ... Not dissolving as disclosed by O'Brien would have been obvious when dissolving is not desired."

That statement is incorrect, in view of the state of the art as of the filing date of Invention.

One skilled in the art would not have made the combination as of the filing date for the following reasons.

- 6. The device of Li has a non-degradable filamentous matrix surrounded by a semipermeable membrane. The device of Li requires the use of non-degradable fibers and that the use of degradable fibers would render the device of Li inoperable. The device of Li requires the use of non-degradable fibers that do not release by-products into the host. Li specifically mentions suture silk as an example of a non-degradable fiber suitable for use in the device. Li consistently describes the fibers used as being non-degradable or substantially non-degradable starting from the title and continuing throughout the specification and claims. It is my opinion that Li does not teach using sericin-extracted fibroin fibers. The device of Li requires the use of non-degradable fibers and that the use of degradable fibers would render the device of Li inoperable. Li teaches away from the present invention by teaching the matrix be made from "substantially non-degradable" fibers (Li, Col. 3, line 1). Li teaches that degradation would render the invention inoperable: "A "biocompatible capsule" is a capsule that, upon implantation in a host mammal, does not elicit a detrimental host response sufficient to result in the rejection of the capsule or to render it inoperable, such as through degradation." (Li, Col. 6, lines 43-46, emphasis added).
- 7. O'Brien discloses the production of regenerated polypeptide fiber. O'Brien teaches regeneration of decrystallized polypeptide by dissolving the silk protein, reconstituting it in solution, and re-spinning it to produce fiber threadline (O'Brien, Col. 3, line 50-64). O'Brien requires dissolving and reconstituting the native silk proteins and requires "decrystallized" silk flake to practice the teaching. See O'Brien, Col. 3, Line 50-57 and

U.S.S.N. 10/800,134			
DECLARATION OF	UNDER	37 C.F.R	. 1.132

Page 3 of 6

Claim 1. O'Brien does not provide an option to dissolve or not to dissolve the silk fibroin but <u>requires</u> dissolving.

- 8. Accordingly, there was no reason apparent to one skilled in the art to make the suggested combination. In fact, without further processing, the regenerated polypeptide fiber of O'Brien would be degradable and therefore, O'Brien teaches away from the combination of the references. In my opinion, one of ordinary skill in the art would not have had a reasonable expectation of success in combining the references.
- 9. Furthermore, the sericin-extracted, dissolved and reconstituted silk fibers produced by the method of O'Brien differ from the sericin-extracted fibroin fibers of the present invention that retain their native protein structure and have not been dissolved and reconstituted. The properties of dissolved and reconstituted fibers (also known as regenerated silk fibroin) have been shown to differ significantly from native silk fibroin (which have not been dissolved and reconstituted). See Zou, B., et al., *J. Mater. Sci.*, 41: 3357-3361 (2006) and Xie, F., et al., *Internat. J. Biolog. Macromol.*, 38: 284-288 (2006), attached as Exhibits A and B.
- 10. The fibers produced by the decrystallization and reconstitution process of O'Brien differ significantly from the fibers of the present invention in their physical and mechanical properties. The fibers produced from the reconstituted protein are composed of sections of polymer of variable length. See O'Brien, Col. 1, Lines 13-24. The polymer sections overlap to various extents and may or may not be oriented parallel to the axis of the fiber. Also, the numerous chain ends of the polymer sections act as defects that substantially limit fiber tensile strength. Conversely, the fibers of the present invention are essentially unbroken polymer chains without the attendant deficiencies described above.
- O'Brien teaches that if the chain lengths are too short the chain ends act as defects resulting in brittle fibers. And that it is preferred to have the highest average chain length possible. (O'Brien, Col. 1, Lines 16-24) With this in mind, O'Brien still requires

Page 4 of 6

dissolving and reconstituting the native silk proteins and requires "decrystallized" silk flake to practice the teaching. (O'Brien, Col. 3, Line 50-57 and Claim 1) The difference between fibers that are each made up of an essentially unbroken polymer as in the present invention and the properties inherent in such a fiber must be contrasted with fibers produced from decrystallized polymer. The properties of dissolved and reconstituted fibers (also known as regenerated silk fibroin) have been shown to differ significantly from native silk fibroin (which have not been dissolved and reconstituted). See Zou, B., et al., *J. Mater. Sci.*, 41: 3357-3361 (2006) and Xie, F., et al., *Internat. J. Biolog. Macromol.*, 38: 284-288 (2006), attached as Exhibits A and B. The decrystallized/reconstituted protein results in short sections of polymer of various orientations and the attendant disruption and change of mechanical properties. Native and decrystallized polymers are no more comparable than a piece of wood (native) is to a piece of paper (reconstituted).

- 12. It is my expert opinion that O'Brien provides no suggestion or motivation to use sericinextracted fibroin fibers that retain their native protein structure and have not been dissolved and reconstituted as required by the present claims.
- 13. Lewis teaches cloned DNA encoding spider flagelliform silk protein. Lewis describes spider-silk fibers formed by extrusion of liquid-crystal solutions as in the method of O'Brien. As in O'Brien, Lewis teaches formation of fibers from dissolved protein (Lewis, Col. 20, line 37).
- 14. The fibers produced by the decrystallization and reconstitution process of Lewis differ significantly from the fibers of the present Invention in their physical and mechanical properties as mentioned in paragraph 10 above, concerning the fibers of O'Brien.
- 15. The Office Action contains the following statement:

Page 5 of 6

"It would have been obvious to use as the filamentous matrix of Li et al. a yarn produced from fibrion fibers from which sericin had been removed as disclosed by O'Brien in view of Lewis et al. suggesting preparing a matrix for tissue reconstruction from silk and Takezawa et al. using a silk mesh as a culture carrier. Such fibers will be degradable." (emphasis added)

One skilled in the art would recognize that such fibers would be degradable and, therefore, could not be used to make the filamentous matrix of Li. And that Li, by repeated insistence on use of non-degradable fibers, teaches away from the suggested combination of references. In my opinion, one of ordinary skill in the art would not have had a reasonable expectation of success in combining the references.

- 16. Takezawa describes a culture-carrier of natural or synthetic threads. The use of the degradable, dissolved and reconstituted silk fibers of O'Brien or Lewis would render the device of Takezawa inoperable. The use of degradable fibers would not achieve the intended advantage of "providing a novel culture carrier in which animal cells can proliferate three-dimensionally". As a result, Takezawa teaches away from the suggested combination of references.
- 17. In conclusion, I strongly disagree with the position of the PTO that the above references are combinable or that the combination would render claims 1, 2, and 4-31 of the above Application unpatentable. Contrary to the position of the PTO, for the reasons set forth above, it would not have been obvious to a skilled artisan to substitute a yarn produced from fibroin fibers from which the sericin has been removed as disclosed by O'Brien for the filamentous matrix of Li et al.

The teachings of Lewis and/or Takezawa do not alter my position. Lewis taught regenerated spider silk. As mentioned above, regenerated silk has different properties, such as lower strength, than natural silk fibroin. Takezawa taught a culture carrier. As noted above, Takezawa, like Li, would direct the skilled artisan to use of non-degradable fibers, as degradable fibers would render the device of Takezawa inoperable.

Page 6 of 6

For these reasons set forth above, it is my expert opinion that the references cited by the PTO, alone or in combination, would not teach or suggest the claimed invention. The combination or modification of the prior art references in the manner suggested by the PTO was contrary to the accepted wisdom in the art at the time of Applicant's invention and, as discussed above, such combination would render the references inoperable for their intended purposes. One of ordinary skill in the art would not have had a reasonable expectation of success in combining the references suggested by the PTO.

Date

Dand Kaplan

Faculty Profiles

Biomedical Engineering
Department

Tufts University Arts, Sciences and Engineering

Name: David Kaplan

Title: Professor & Chair, Department of Biomedical Engineering

Professor, Department of Chemical & Biological Engineering

Director, Bioengineering & Biotechnology Center Director, Tissue Engineering Resource Center Appointed Associate Editor, Biomacromolecules

Secondary appointments with the departments of Biology and Chemistry; Tufts School of Dental Medicine; and the Sackler

School of Graduate Biomedical Sciences.

Departmental Biomedical Engineering Department Chemical & Biological Engineering

Degrees: 1975 B.S., State University of New York at Albany

1978 Ph.D., State University of New York at Syracuse and

Syracuse University

Expertise: Natural Biomaterials

Major 2006 - Endowed Dean's Professorship in Bioengineering -

Awards: Tufts University

2006 - Henry & Madeleine Fischer Faculty Award - Tufts

University

2003 - Elected Fellow, American Institute Medical &

Biomedical Engineering

1999 - Editorial Boards - Applied Environmental Microbiology,

Biomolecular

Materials, Advanced Materials

1998 - Outstanding Faculty Award - Tufts University 1997 - 01 Chairman, Grants Review Panel, U.S. Dept. of

Agriculture

1997- 01 Editor, Book Series: Bioengineering Materials -

Birkhauser

1995 - Awarded Senior Research Scientist (ST) Position -

U.S. Government

1990 - Decoration for Meritorious Civilian Service - U.S.

Government

E-mail: david.kaplan@tufts.edu

Scholarship Extracellular matrix remodeling – methods to quantify cell-**& Research:** matrix interactions. L.C. Abraham, J.F. Dice, P.F. Finn, N.T.

Mesires, K. Lee, D.L. Kaplan. Biomaterials, 28: 151-161

(2007).

Effect of water on the thermal properties of silk fibroin. X. Hu, D.L. Kaplan, P. Cebe. Thermochimica Acta. In press (2007).

Biosynthesis and applications of silk-like and collagen-like proteins. C. Wong, J. Huang, D.L. Kaplan. In press (2007).

RGD-functionalized bioengineered spider dragline silk biomaterial. E. Bini, C. Wong, J. Huang, V. Karageorgiou, B. Kitchel, D.L. Kaplan. Biomacromolecules. In press (2007).

Controlled release biopolymers to enhance the immune response. G.R. Castro, B. Panilaitis, E. Bora, D.L. Kaplan. Molecular Pharmaceutics. In press (2007).

Bioengineered spider silk-dentin matrix protein 1 chimeric protein induces hydroxyapatite nucleation. J. Huang, C. Wong, A. George, D.L. Kaplan. Biomaterials. In press (2007).

Silk microspheres for encapsulation and controlled release. X. Wang, E. Wenk, L. Meinel, D.L. Kaplan. J Controlled Release. In press (2007).





Professor David L. Kaplan Biomedical Engineering

Selected Peer-Reviewed Publications (of >350, 2004+ listed)

2004

- Mapping domain structures in silks from insects and spiders. E. Bini, D. Knight, D. L. Kaplan. *J. Molecular Biology*. 335:27-40 (2004).
- Bone tissue engineering using human mesenchymal stem cells; effects of scaffold material and medium flow. Meinel, L., V. Karageorgiou, R. Fajardo, B. Snyder, V. Shinde-Patil, L. Zichner, D. L. Kaplan, R. Langer, G. Vunjak-Novakovic. *Annals Biomed. Eng.* 32:112-122 (2004).
- Matrix-mediated retention of osteogenic differentiation potential by human adult bone marrow stromal cells during ex vivo expansion. J. Mauney, V. Volloch, D. L. Kaplan. *Biomaterials* 25:3233-3243 (2004).
- Osteogenic Differentiation of Human Bone Marrow Stromal Cells on Partially Demineralized Bone Scaffolds *In Vitro.* Mauney JR, Blumberg J, Pirun M, Volloch V, Vunjak-Novakovic G, Kaplan DL *Tissue Engineering*, 10:81-92 (2004).
- Inflammatory responses to silk films in vitro and in vivo. L. Meinel, S. Hofmann, V. Karageorgiou, C. Kirker-Head, J. McCool, G. Gronowicz, L. Zichner, R. Langer, G. Vunjak-Novakovic. D. L. Kaplan. *Biomaterials*. 26:147-155 (2004).
- Nanoscale surface patterning of enzyme catalyzed polymeric conducting wires. P. Xu, D. L. Kaplan. *Advanced Materials*, 16:628-632(2004)
- Porous 3D scaffolds from regenerated silk fibroin. R. Nazarov, H.-J. Jin, D. L. Kaplan. *Biomacromolecules*. 5:718-726 (2004).
- Biomaterials films of *Bombyx mori* silk with poly(ethylene oxide). H.-J. Jin, J. Park, U.-J. Kim, R. Valluzzi, P. Cebe, D. L. Kaplan. *Biomacromolecules*. 5:711-717 (2004).
- Structure and properties of silk hydrogels. U.-J. Kim, J. Park, C. Li, H.-J. Jin, R. Valluzzi, D. L. Kaplan. *Biomacromolecules*. 5:786-792 (2004).
- Mechanical stimulation promotes osteogenic differentiation of human bone marrow stromal cells on 3-D partially demineralized bone scaffolds in vitro. J. R. Mauney, S. Sjostorm, J. Blumberg, R. Horan, J. P. O'Leary, G. Vunjak-Novakovic, V. Volloch, D. L. Kaplan. *Calcified Tissue International*, 74:458-468 (2004)
- Impact of matrix trafficking by human fibroblasts. L. Abraham, J. Vorasi, D. L. Kaplan. *J. Biomedical Materials Research*, 70A:39-48 (2004).
- Tissue engineering of ligaments. G. Vunjak-Novakovic, G. Altman, R. Horan, D. L. Kaplan. *Annual Review of Biomedical Engineering*. 6:14.1-14.26 (2004).
- Tissue engineering of osteochondral plugs using human mesenchymal stem cells and silk scaffolds. Meinel, L., V. Karageorgiou, S. Hoffmann, R. Fajardo, B. Snyder, C. Li, L. Zichner, R. Langer, G. Vunjak-Novakovic, D. L. Kaplan. *Chemical Industry* 58:68-69 (2004).
- Engineering cartilage-like tissue using human mesenchymal stem cells and silk protein scaffolds. L. Meinel, S. Hoffmann, V. Karageorgiou, L. Zichner, R. Langer, G. Vunjak-Novakovic, D. L. Kaplan. *Biotechnology and Bioengineering.* 88:379-391 (2004).
- Human bone marrow stromal cell responses on electrospun silk fibroin mats. H. J. Jin, J. Chen, V. Kargeorgiou, G. H. Altman, D. L. Kaplan. *Biomaterials* 25:1039-1047 (2004).
- Engineering bone-like tissue in vitro using human bone marrow stem cells and silk scaffolds. L. Meinel, V. Kargeorgiou, S. Hofmann, R. Fajardo, B. Snyder, C. Li, L. Zichner, R. Langer, G. Vunjak-Novakovic, D. L. Kaplan. *J. Biomedical Materials Research*, 71A:25-34 (2004).
- Lessons from seashells: mineralized silica via protein templating, C. Wong Po Foo, J. Huang, D. L. Kaplan, *Trends in Biotechnology* 22:577-585 (2004).
- Vitamin C functionalized poly(methyl methacrylate) for free radical scavenging. A. Singh, D. L. Kaplan. *J. Macromolecular Science Pure and Appl. Chemistry* A41:1377-1386 (2004).

- Horseradish peroxidase catalyzed polymerization of tyrosine derivatives for nanoscale surface patterning. P. Xu, D. L. Kaplan. *J. Macromolecular Science Pure and Appl. Chemistry* A41:1437-1446 (2004).
- Mechanical properties of electrospun silk fibers. M. Wang, H.J. Jin, D. L. Kaplan, G. C. Rutledge. Macromolecules, 37:6856-6864 (2004).
- Matrix metalloproteinases and their clinical applications in orthopaedics. D. S. Bramono, J. C. Richmond, P. P. Weitzel, D. L. Kaplan, G. H. Altman. Clinical Orthopaedics & Related Research 428:272-285 (2004).
- Bone morphogenetic protein-2 decorated silk fibroin films induce osteogenic differentiation of human bone marrow stromal cells. V. Karageorgiou, L. Meinel, S. Hofmann, A. Malhotra, V. Volloch, D. L. Kaplan. *J. Biomedical Materials Research*, 71A:528-537 (2004).

2005

- In vitro and in vivo evaluation of differentially mineralized cancellous bone scaffolds combined with human bone marrow stromal cells for tissue engineering. J. Mauney, C. Jaquiery, V. Volloch, I. Martin, D. L. Kaplan. *Biomaterials*, 26:3173-3185 (2005).
- Three dimensional aqueous-derived biomaterial scaffolds from silk fibroin. U.J. Kim, J. Park, H. J. Kim, M. Wada, D. L. Kaplan. *Biomaterials*, 26:2775-2785 (2005).
- Influence of macroporous protein scaffolds on bone tissue engineering from bone marrow stem cells. H. J. Kim, U-J. Kim, G. Vunjak-Novakovic, B-H. Min, D. L. Kaplan. *Biomaterials*, 26:4442-4452 (2005).
- Role of adult mesenchymal stem cells in bone tissue engineering applications: current status and future prospects. J. Mauney, V. Volloch, D. L. Kaplan. *Tissue Eng.* 11:787-802 (2005).
- In vitro degradation of silk fibroin. R. L. Horan, K. Antle, A. L. Collette, Y. Wang, J. Huang, J. E. Moreau, V. Volloch, D. L. Kaplan, G. H. Altman. Biomaterials 26:3385-3393 (2005).
- Sequential Growth Factor Application in Bone Marrow Stromal Cell Ligament Engineering. Moreau, J E, Chen, J, Horan, R L, Kaplan D L, and Altman G.H. *Tissue Engineering*, 11:1887-1897(2005).
- Ligament Tissue Engineering in Culture of Cells for Tissue Engineering., Chen, J, Altman G H, Moreau J E, Horan R L, Bramono D, Volloch V, Richmond J, Vunjak-Novakovic G, Kaplan D L. in press (2005).
- Growth Factor Induced FibroblastD ifferentiation from Human Bone Marrow Stromal Cells *In Vitro*. Moreau J E, Bramono D S, Chen J, Volloch V, Chernoff H, Vunjak-Novakovic G, Richmond J C, Kaplan D L, Altman G H. *J. Orthop. Res.* 23:164-174 (2005).
- Matrix mediated retention of adipogenic differentiation potential of human bone marrow derived mesenchymal stem cells during ex vivo expansion. J. Mauney, V. Volloch, D. L. Kaplan. *Biomaterials*, 26:6167-6175 (2005).
- Silk-implants for the Healing of Critical Size Bone Defects. Meinel, L., R. Fajardo, S. Hofmann, R. Langer, J. Chen, B. Snyder, G. Vunjak-Novakovic, D. L. Kaplan, *Bone*, 37:688-698 (2005).
- Water-Stable Silk Films with Reduced β-Sheet Content, Jin, H. J., J. Park, V. Karageorgiou, U. J. Kim, R. Valluzzi, P. Cebe, D. L. Kaplan, *Advanced Functional Materials*, 15:1241-1247 (2005).
- Processing windows for forming silk fibroin biomaterials in to a 3D porous matrix. H. J. Kim, H. S. Kim, A. Matsumoto, I.H. Chin, H.J. Jin, D. L. Kaplan. Australian J. Chemistry 58:1-5 (2005).
- Triggered Release of Proteins from Emulsan-Alginate Beads. G. R. Castro, R. R. Kamdar, B. Panilaitis, D. L. Kaplan, *J. Controlled Release*, 109: 149-157 (2005).
- Porosity of 3D biomaterial scaffolds and osteogenesis. V. Karageorgiou, D. L. Kaplan. Biomaterials 26:5474-5491 (2005).
- Peroxidase catalyzed in situ polymerization of surface orientated caffeic acid. Xu, P., H. Uyama, J. E. Whitten, S. Kobayasi, D. L. Kaplan. JACS (2005).
- Enzymatic catalysis in the synthesis of polyanilines and derivatives of polyanilines. P. Xu, A. Singh, D. L. Kaplan. Adv. Polymer Sci. 194: (2005).
- Silk apatite composites from electrospun fibers. Li, C., H.-J. Jin, G. D. Botsaris, D. L. Kaplan. J. Mater. Res. 20:3374-3384 (2005).
- In vitro cartilage tissue engineering with 3D porous aqueous-derived silk scaffolds and mesenchymal stem cells. Y. Wang, U.-J. Kim, D. J. Blasioli, H.-J. Kim, D. L. Kaplan. Biomaterials 26:7082-7094 (2005).

2006

Cartilage tissue engineering with silk scaffolds and human articular chondrocytes. Y. Wang, D. J. Blasioli, H.-J. Kim, H. S. Kim, D. L. Kaplan. Biomaterials 27:4434-4442 (2006).

- Expansion and osteogenic differentiation of bone marrow-derived mesenchymal stem cells on a vitamin C functionalized polymer. Y. Wang, A. Singh, P. Xu, M. A. Pindrus, D. J. Blasioli, D. L. Kaplan. Biomaterials 27:3265-3273 (2006).
- Solution behavior of synthetic silk peptides and modified recombinant silk proteins. C. Wong Po Foo, E. Bini, J. Henseman, D. P. Knight, R. V. Lewis, D. L. Kaplan. Applied Physics A: Materials Science and Processing, 82:193-203 (2006).
- Electrospun silk-BMP-2 scaffolds for bone tissue engineering. C. Li, C. Vepari, H.-J. Jin, H. J. Kim, D. L. Kaplan. Biomaterials 27:3115-3124 (2006).
- Permeability of bacterial cellulose membranes. A. M. Kokolnicki, R. J. Fisher, T. P. Harrah, D. L. Kaplan. J. Membrane Science 272:15-27 (2006).
- Role of pH and charge on silk protein assembly in insects and spiders. C. Wong Po Foo, E. Bini, J. Huang, S. Y. Lee, D. L. Kaplan. Applied Physics A: Materials Science and Processing, 82:223-233 (2006).
- Unfolding the multi-length scale domain structure of silk fibroin protein. H. Shulha, C. Wong, D. L. Kaplan, V. V. Tsukruk. Polymer 47:5821-5830 (2006).
- Covalently immobilized enzyme gradients within three-dimensional porous scaffolds. C. Vepari, D. L. Kaplan. Biotechnology and Bioengineering, 93:1130-1137 (2006).
- Production of submicron diameter silk fibers under benign processing conditions by two-fluid electrospinning. M. Wang, J. H. Yu, D. L. Kaplan, G. C. Rutledge. Macromolecules, 39: 1102-1107 (2006).
- Bone morphogenetic protein-2 binds as multilayers to a collagen delivery matrix: an equilibrium thermodynamic analysis. R. Morin, D. L. Kaplan, B. Perez. Biomacromolecules, 7:131-138 (2006).
- Silk fibroin as an organic polymer for controlled drug delivery. S. Hofmann, H. M. Textor, C. Wong, F. Rossetti, H. P. Merkle, D. L. Kaplan, G. Vunjak-Novakovic, L. Meinel. J. Controlled Release, 111:219-227 (2006).
- Noninvasively monitoring and quantifying the engineering of bone-like tissue from human mesenchymal stem cells cultured on silk scaffolds. H. Hagenmuller, S. Hofmann, T. Kohler, H. P. Merkle, D. L. Kaplan, G. Vunjak-Novakovic, R. Muller, L. Meinel. Bone, in press (2006).
- FiberID- a technique to identify fibrous protein sub-classes. P. Waltman, A. Blumer, D. L. Kaplan. Protein Science, in press (2006).
- Stem cell based tissue engineering with silk biomaterials. Y. Wang, H.-J. Kim, G. Vunjak-Novakovic, D. L. Kaplan. Biomaterials. 27: 6064-6082 (2006).
- Collagen-like peptide as a matrix for enzyme immobilization in electrochemical biosensors. M. Yemini, P. Xu, J. Rishpon, D. L. Kaplan. Electroanalysis, in press (2006).
- Determining beta sheet crystallinity in fibrous proteins by thermal analysis and infrared spectroscopy. X. Hu, D. L. Kaplan, P. Cebe. Macromolecules, in press (2006).
- Mechanisms of silk fibroin sol-gel transitions. A. Matsumoto, J. Chen, A. L. Collette, U.J. Kim, G. H. Altman, P. Cebe, D. L. Kaplan. J. Physical Chem. In press (2006).
- RGD-tethered silk substrates stimulate the differentiation of human tendon cells. T. Kardestruncer, MB McCarthy, V. Karageorgiou, D. L. Kaplan, G. Gronowicz. Clinical Orthopaedics and Related Research. In press (2006).
- Porous silk fibroin 3-D scaffolds for delivery of bone morphogenic protein-2 in vitro and in vivo. V. Karageorgiou, M. Tomkins, R. Fajardo, L. Meinel, B. Snyder, K. Wade, J. Chen, G. Vunjak-Novakovic, D. L. Kaplan. J. Biomedical Materials Research 78A: 324-334 (2006).
- Osteogenesis by human mesenchymal stem cells cultured on silk biomaterials: comparison of adenovirus mediated gene transfer and protein delivery of BMP-2. L. Meinel, S. Hofmann, O. Betz, R. Fajardo, H. P. Merkle, R. Langer, C. H. Evans, G. Vunjak-Novakovic, D. L. Kaplan. Bioamterials 27: 4993-5002 (2006).
- Fibrous Proteins Role in Biomaterials and Tissue Engineering. X. Wang, H-J. Kim, C. Wong, C. Vepari, A. Matsumoto, D. L. Kaplan Materials Today 9:44-53 (2006).
- Novel nanocomposites from spider silk-silica fusion (chimeric) proteins. Wong, C. P. F., Kitchel, B., Huang, J., Patwardhan, S.V., Belton, D., Perry, C., Kaplan, D. L. Proc. National Academy of Science USA 103(25): 9428-9433 (2006).